


GENERAL NOTES

- ALL CONCRETE SHALL BE F'c 25MPa AT 28 DAYS.
- PITS DEEPER THAN 750mm SHALL BE FITTED WITH GALVANISED STEP IRONS (@ 300mm C.T.S) REFER TO DRAWING YSD212 FOR DETAILS.
- THE FLOOR OF THE PIT SHALL BE FORMED UP TO 3. AT LEAST THE OVERT OF PIPE.
- CONCRETE TO BE VIBRATED IN PITS TO 4. ENGINEER'S SATISFACTION.
- 5. CONCRETE TO BE POURED INTO PITS DIRECTLY **OUT OF SUPPLY VEHICLES.**
- BEDDING MATERIAL SHALL BE 100mm 6. COMPACTED THICKNESS OF CLASS 2 C.R.
- 7. F72 REINFORCEMENT IN WALLS OVER 2m DEEP.
- 8. ALL LINTELS TO BE CHARCOAL COLOUR.
- ALL PIT SURROUNDS TO BE CHARCOAL COLOUR. 9
- S.V.C. P/L PRODUCT CODE FOR THE COVER AND LID IS 14.070 OR APPROVED EQUIVALENT. OR FIBRE REINFORCED PIT COVER (ECOLITE) GREY CLASS"B" IS AVAILABLE FROM R&S GRATING AT sale@grating.com.au. EQUAL ALTERNATIVE PRODUCTS MAY ALSO BE CONISDERED BY COUNCIL'S ENGINEER.

Yarra Standard: YSD209 **Drawing Title:**

SIDE ENTRY PIT WITH NON VEHICLE LOADING COVER



Richmond Town Hall 333 Bridge Road Richmond PO Box 168 Richmond 3121 Phone (03) 9205 5010 Fax (03) 8417 6666